

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

KLK3 RABBIT PAB

货号: S216222 产品全名: KLK3 兔多抗

基因符号 APS; PSA; hK3; KLK2Al

UNIPROT ID: P07288 (Gene Accession - BC005307)

背景: Kallikreins are a subgroup of serine proteases having diverse physiological functions. Growing evidence suggests that many kallikreins are implicated in carcinogenesis and some have potential as novel cancer and other disease biomarkers. The gene is one of the fifteen kallikrein subfamily members located in a cluster on chromosome 19. It encodes a single-chain glycoprotein, a protease which is synthesized in the epithelial cells of the prostate gland, and is present in seminal plasma. It is thought to function normally in the liquefaction of seminal coagulum, presumably by hydrolysis of the high molecular mass seminal vesicle protein. The serum level of this protein, called PSA in the clinical setting, is useful in the diagnosis and monitoring of prostatic carcinoma. Alternate splicing of this gene generates several transcript variants encoding different isoforms. [provided by RefSeq, Dec 2019]

抗原: Fusion protein of human KLK3 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 1000-5000;ELISA: 5000-10000

种属反应性: Rabbit 克隆性: Rabbit Polyclonal


亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification

种属反应性: Human


成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Signal Transduction, Cancer, Neuroscience


储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemistry analysis of paraffin-embedded Human liver cancer tissue using 216222(KLK3 Antibody) at a dilution of 1/55(Cytoplasm).



Immunohistochemistry analysis of paraffin-embedded Human breast cancer tissue using 216222(Anti-KLK3 Antibody) at a dilution of 1/55



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: Human prostate tissue lysate;

Primary antibody: 216222(KLK3 Antibody) at dilution 1/800;

Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000

dilution;

Exposure time: 5 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010