

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

KRT23 RABBIT PAB

货号: S210141

产品全名: KRT23 兔多抗 基因符号 K23; CK23; HAIK1

UNIPROT ID: Q9C075 (Gene Accession - BC028356)

背景: The protein encoded by this gene is a member of the keratin family. The keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into cytokeratins and hair keratins. The type I cytokeratins consist of acidic proteins which are arranged in pairs of heterotypic keratin chains. The type I cytokeratin genes are clustered in a region of chromosome 17q12-q21. Alternative splicing results in multiple transcript variants.

抗原: Fusion protein of human KRT23

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human gastric cancer tissue using 210141(KRT23 Antibody) at a dilution of 1/85(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with the fusion protein and then with 210141(Anti-KRT23 Antibody) at dilution 1/85.



The image on the left is immunohistochemistry of paraffinembedded Human tonsil tissue using 210141(Anti-KRT23 Antibody) at Human tonsil tissue is first treated with fusion protein and then with a dilution of 1/85.



In comparision with the IHC on the left, the same paraffin-embedded D120242(Anti-KRT23 Antibody) at dilution 1/85.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Primary antibody: 210141(KRT23 Antibody) at dilution 1/600; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 20 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010