

## LCK RABBIT MAB

货号: N262464

产品全名: Lck 兔单克隆抗体

基因符号 LCK; Tyrosine-protein kinase Lck; Leukocyte C-terminal Src kinase; LSK; Lymphocyte cell-specific protein-tyrosine kinase; Protein YT16; Proto-oncogene Lck; T cell-specific protein-tyrosine kinase; p56-LCK

**UNIPROT ID:** P06239

背景: The Src family of protein tyrosine kinases, which includes Src, Lyn, Fyn, Yes, Lck, Blk, and Hck, are important in the regulation of growth and differentiation of eukaryotic cells. Src activity is regulated by tyrosine phosphorylation at two sites, but with opposing effects.

抗原: Recombinant protein of human Lck

经过测试的应用: WB,IHC-F,IHC-P,ICC/IF,IP

推荐稀释比: WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/20

种属反应性: Rabbit

克隆性: Rabbit Monoclonal

克隆编号: R01-8A5

分子量: Calculated MW: 58 kDa; Observed MW: 58 kDa

亚型: IgG


纯化: Affinity Purified

种属反应性: Human,Rat


成分: PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide

研究领域: Immunology


储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Western blot analysis of Lck in Jurkat lysates using Lck antibody



Immunocytochemistry analysis of Lck (green) in Jurkat using Lck antibody, and DAPI (blue).



Western blot analysis of Lck in rat spleen lysates using Lck antibody.



Immunohistochemistry analysis of paraffin-embedded Human tonsil using Lck antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.