

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

LDHB RABBIT PAB

货号: \$222426 产品全名: LDHB 兔多抗

基因符号 LDH-B; LDH-H; LDHBD; TRG-5; HEL-S-281 UNIPROT ID: P07195 (Gene Accession - NP_002291)

背景: This gene encodes the B subunit of lactate dehydrogenase enzyme, which catalyzes the interconversion of pyruvate and lactate with concomitant interconversion of NADH and NAD+ in a post-glycolysis process. Alternatively spliced transcript variants have been found for this gene. Recent studies have shown that a C-terminally extended isoform is produced by use of an alternative in-frame translation termination codon via a stop codon readthrough mechanism, and that this isoform is localized in the peroxisomes. Mutations in this gene are associated with lactate dehydrogenase B deficiency. Pseudogenes have been identified on chromosomes ,x 5 and 13.

抗原: Synthetic peptide of human LDHB

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 1000-5000;ELISA: 5000-10000

种属反应性: Rabbit 克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism, Cancer

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 222426(LDHB Antibody) at a dilution of 1/50(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the synthetic peptide and then with 222426(Anti-LDHB Antibody) at dilution 1/50.



The image on the left is immunohistochemistry of paraffinembedded Human gastric cancer tissue using 222426(Anti-LDHB Antibody) at a dilution of 1/50.



In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with synthetic peptide and then with D264590(Anti-LDHB Antibody) at dilution 1/50.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-7: 293T, Jurkat, A549, Hela, Mouse heart tissue, Mouse kidney tissue, Mouse brain tissue lysates; Primary antibody: 222426(LDHB Antibody) at dilution 1/800; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution; Exposure time: 5 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010