

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

MAGED1 RABBIT PAB

货号: S216630

产品全名: MAGEDI 兔多抗 基因符号 NRAGE, DLXIN-1

UNIPROT ID: Q9Y5V3 (Gene Accession - BC032473)

背景: This gene is a member of the melanoma antigen gene (MAGE) family. Most of the genes of this family encode tumor specific antigens that are not expressed in normal adult tissues except testis. Although the protein encoded by this gene shares strong homology with members of the MAGE family, it is expressed in almost all normal adult tissues. This gene has been demonstrated to be involved in the p75 neurotrophin receptor mediated programmed cell death pathway. Three transcript variants encoding two different isoforms have been found for this gene.

抗原: Fusion protein of human MAGED1

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 1000-5000;ELISA: 1000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cancer

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




tissue using 216630(MAGEDI Antibody) at a dilution of 1/30(Cytoplasm).




Immunohistochemistry analysis of paraffin embedded Human tonsil In comparision with the IHC on the left, the same paraffin-embedded Human tonsil tissue is first treated with the fusion protein and then with 216630(Anti-MAGEDI Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human colon cancer tissue using 216630(Anti-MAGED1 Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with fusion protein and then with D220948(Anti-MAGED1 Antibody) at dilution 1/30.



Gel: 10%SDS-PAGE, Lysate: 40 µg; Lane: Human fetal brain tissue; Primary antibody: 216630 (MAGED1 Antibody) at dilution 1/1200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 90 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010