

MED16 RABBIT PAB

货号: S211640

产品全名: MED16 兔多抗

基因符号: DRIP92; THRAP5; TRAP95

UNIPROT ID: Q9Y2X0 (Gene Accession - BC004554)

背景: Enables thyroid hormone receptor binding activity and transcription coactivator activity. Involved in positive regulation of transcription initiation from RNA polymerase II promoter. Located in membrane. Part of mediator complex. [provided by Alliance of Genome Resources, Apr 2022]

抗原: Fusion protein of human MED16

经过测试的应用: ELISA, IHC

推荐稀释比: IHC: 100-300; ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG


纯化: Antigen affinity purification

种属反应性: Human, Mouse


成分: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Epigenetics and Nuclear Signaling


储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 211640(MED16 Antibody) at a dilution of 1/125(Cytoplasm or Nucleus).



In comparison with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the fusion protein and then with 211640(Anti-MED16 Antibody) at dilution 1/125.



The image on the left is immunohistochemistry of paraffin-embedded Human prostate cancer tissue using 211640(Anti-MED16 Antibody) at a dilution of 1/125.



In comparison with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with fusion protein and then with D123323(Anti-MED16 Antibody) at dilution 1/125.



Product Description

Pioneering GTPase and Oncogene Product Development since 2010
