

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

MOB1A RABBIT PAB


货号: S220720 产品全名: MOBIA 兔多抗 基因符号 MOB1; MATS1; Mob4B; C2orf6; MOBK1B; MOBKL1B UNIPROT ID: Q9H8S9 (Gene Accession - NP_060691) 背景: MOBI was first identified in yeast as a protein that binds to Mps with essential roles in the completion of mitosis and the maintenance of ploidy. Its Drosophila and mammalian homologs, Mats and MOBI, respectively, are involved in the Hippo signaling tumor suppressor pathway, which plays a critical role in organ size regulation and which has been implicated in cancer development . There are two MOBI proteins in humans, MOBIà and MOBI?, that are encoded by two different genes but which have greater than 95% amino acid sequence identity. 抗原: Synthetic peptide of human MOBIA 经过测试的应用: ELISA, WB, IHC 推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 2000-5000 种属反应性: Rabbit 克隆性: Rabbit Polyclonal 亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat 成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol 研究领域: Signal Transduction, Cancer

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 220720(MOB1A Antibody) at a dilution of 1/30(Cytoplasm and Nucleus).




The image on the left is immunohistochemistry of paraffinembedded Human brain tissue using 220720(Anti-MOB1A Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the synthetic peptide and then with 220720(Anti-MOBIA Antibody) at dilution 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with synthetic peptide and then with D261918(Anti-MOBIA Antibody) at dilution 1/30.



Gel: 10%SDS-PAGE, Lysate: 40 µg; Lane 1-5: Hela cells, Jurkat cells, mouse liver tissue, K562 cells, A375 cells; Primary antibody: 220720(MOB1A Antibody) at dilution 1/200;

Secondary antibody: 220720(MOBIA Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 10 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010