

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

MSN RABBIT PAB

货号: S216653 产品全名: MSN 兔多抗 基因符号 HEL70

UNIPROT ID: P26038 (Gene Accession - BC017293)

背景: Moesin (for membrane-organizing extension spike protein) is a member of the ERM family which includes ezrin and radixin. ERM proteins appear to function as cross-linkers between plasma membranes and actin-based cytoskeletons. Moesin is localized to filopodia and other membranous protrusions that are important for cell-cell recognition and signaling and for cell movement. Probably involved in connections of major cytoskeletal structures to the plasma membrane. May inhibit herpes simplex virus 1 infection at an early stage.

抗原: Fusion protein of human MSN 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 216653(MSN Antibody) at a dilution of 1/30(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the fusion protein and then with 216653(Anti-MSN Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human ovarian cancer tissue using 216653(Anti-MSN Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human ovarian cancer tissue is first treated with fusion protein and then with D220995(Anti-MSN Antibody) at dilution 1/30.



Gel: 10%SDS-PAGE, Lysate: 40 µg; Lane 1-2: 293T cells, A431 cells; Primary antibody: 216653(MSN Antibody) at dilution 1/500; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 minute



Product Description

Pioneering GTPase and Oncogene Product Development since 2010