

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **MTARC1 RABBIT PAB**

货号: S220346

产品全名: MTARC1 兔多抗 基因符号 MARC1; MOSC1

UNIPROT ID: Q5VT66 (Gene Accession - NP\_073583)

背景: Enables molybdenum ion binding activity; molybdopterin cofactor binding activity; and oxidoreductase activity, acting on other nitrogenous compounds as donors. Contributes to nitrite reductase (NO-forming) activity. Involved in cellular detoxification of nitrogen compound; nitrate metabolic process; and nitric oxide biosynthetic process. Located in mitochondrion. Part of nitric-oxide synthase complex.

抗原: Synthetic peptide of human MTARC1

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification

种属反应性: Human

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 220346(MTARC1 Antibody) at a dilution of 1/50(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the synthetic peptide and then with 220346(Anti-MTARC1 Antibody) at dilution 1/50.



The image on the left is immunohistochemistry of paraffinembedded Human colorectal cancer tissue using 220346(Anti-MTARC1 Antibody) at a dilution of 1/50.



In comparision with the IHC on the left, the same paraffin-embedded Human colorectal cancer tissue is first treated with synthetic peptide and then with D261397(Anti-MTARC1 Antibody) at dilution 1/50.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: 293T cell lysate; Primary antibody: 220346(MTARC1 Antibody) at dilution 1/500; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 30 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010