

NAMPT RABBIT PAB

货号: S216876

产品全名: NAMPT 兔多抗

基因符号 VF; PBEF; PBEF1; VISFATIN; I110035O14RIK

UNIPROT ID: P43490 (Gene Accession - BC072439)

背景: This gene encodes a protein that catalyzes the condensation of nicotinamide with 5-phosphoribosyl-1-pyrophosphate to yield nicotinamide mononucleotide, one step in the biosynthesis of nicotinamide adenine dinucleotide. The protein belongs to the nicotinic acid phosphoribosyltransferase (NAPRTase) family and is thought to be involved in many important biological processes, including metabolism, stress response and aging. This gene has a pseudogene on chromosome 10.

抗原: Fusion protein of human NAMPT

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-100;WB: 1000-5000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG


纯化: Antigen affinity purification

种属反应性: Human, Mouse, Rat


成分: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Signal Transduction, Cardiovascular, Neuroscience, Immunology


储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemistry analysis of paraffin-embedded Human prostate cancer tissue using 216876(NAMPT Antibody) at a dilution of 1/30(Cytoplasm).



Immunohistochemistry analysis of paraffin-embedded Human liver cancer tissue using 216876(Anti-NAMPT Antibody) at a dilution of 1/30.



Gel: 8%SDS-PAGE, Lysate: 40 µg;

Lane 1-6: A375, Jurkat, Mouse liver tissue, MCF7, PC3, Raji cell lysates;

Primary antibody: 216876(NAMPT Antibody) at dilution 1/1000;

Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 5 seconds