

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **NDUFA12 RABBIT PAB**

货号: S218151

产品全名: NDUFA12 兔多抗 基因符号 B17.2; DAP13

UNIPROT ID: Q9UI09 (Gene Accession - BC005936)

背景: This gene encodes a protein which is part of mitochondrial complex 1, part of the oxidative phosphorylation system in mitochondria. Complex 1 transfers electrons to ubiquinone from NADH which establishes a proton gradient for the generation of ATP. Mutations in this gene are associated with Leigh syndrome due to mitochondrial complex 1 deficiency. Pseudogenes of this gene are located on chromosomes 5 and 13. Alternative splicing results in multiple transcript variants.

抗原: Full length fusion 蛋白 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




tissue using 218151(NDUFA12 Antibody) at a dilution of 1/30(Cytoplasm).




Immunohistochemistry analysis of paraffin embedded Human brain In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with the fusion protein and then with 218151(Anti-NDUFA12 Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human lung cancer tissue using 218151(Anti-NDUFA12 Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with fusion protein and then with D223830(Anti-NDUFA12 Antibody) at dilution 1/30.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane 1-3: Human fetal muscle tissue, PC-3 and Jurkat cell; Primary antibody: 218151(NDUFA12 Antibody) at dilution 1/300; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 30 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010