NIT1 RABBIT PAB

货号: S217649
产品全名: NIT1 兔多抗
基因符号
UNIPROT ID: Q86X76 (Gene Accession – BC046149)
背景: This gene encodes a member of the nitrilase protein family with homology to bacterial and plant nitrilases, enzymes that cleave nitriles and organic amides to the corresponding carboxylic acids plus ammonia. Multiple transcript variants encoding different isoforms have been found for this gene.
抗原: Fusion protein of human NIT1
经过测试的应用: ELISA, WB, IHC
推荐稀释比: IHC: 50-200;WB: 200-1000;ELISA: 2000-5000
种属反应性: Rabbit
克隆性： Rabbit Polyclonal
亚型: Immunogen-specific rabbit IgG
纯化: Antigen affinity purification
种属反应性: Human, Mouse, Rat
成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol
研究领域: Cancer
储存和运输: Store at -20°C. Avoid repeated freezing and thawing

FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC APPLICATIONS

Product Description

Pioneering GTPase and Oncogene Product Development since 2010



Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 217649(NIT1 Antibody) at a dilution of 1/30(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 217649(Anti-NIT1 Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using 217649(Anti-NIT1 Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with fusion protein and then with D222767(Anti-NIT1 Antibody) at dilution 1/30.



Gel: 8%SDS-PAGE, Lysate: 40 µg;
Lane 1-2: Human placenta tissue, Human fetal liver tissue;
Primary antibody: 217649(NIT1 Antibody) at dilution 1/400;
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;
Exposure time: 5 minutes

FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC APPLICATIONS

FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC APPLICATIONS