

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **NOTCH1 RABBIT PAB**

货号: S220146

产品全名: NOTCHI 兔多抗

基因符号 hN1; AOS5; TAN1; AOVD1

UNIPROT ID: P46531 (Gene Accession - NP\_060087)

背景: This gene encodes a member of the NOTCH family of proteins. Members of this Type I transmembrane protein family share structural characteristics including an extracellular domain consisting of multiple epidermal growth factor-like (EGF) repeats, and an intracellular domain consisting of multiple different domain types. Notch signaling is an evolutionarily conserved intercellular signaling pathway that regulates interactions between physically adjacent cells through binding of Notch family receptors to their cognate ligands. The encoded preproprotein is proteolytically processed in the trans-Golgi network to generate two polypeptide chains that heterodimerize to form the mature cell-surface receptor. This receptor plays a role in the development of numerous cell and tissue types. Mutations in this gene are associated with aortic valve disease, Adams-Oliver syndrome, T-cell acute lymphoblastic leukemia, chronic lymphocytic leukemia, and head and neck squamous cell carcinoma.

抗原: Synthetic peptide of human NOTCHI

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-100;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification

种属反应性: Human, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Epigenetics and Nuclear Signaling, Neuroscience, Cardiovascular, Signal Transduction, Stem Cells, Developmental Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human breast cancer tissue using 220146(NOTCHI Antibody) at a dilution of 1/50(Cytoplasm and Nucleus).




In comparision with the IHC on the left, the same paraffin-embedded Human breast cancer tissue is first treated with the synthetic peptide and then with 220146(Anti-NOTCHI Antibody) at dilution 1/50.



The image on the left is immunohistochemistry of paraffinembedded Human esophagus cancer tissue using 220146(Anti-NOTCHI Antibody) at a dilution of 1/50.



In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with synthetic peptide and then with D261041(Anti-NOTCH1 Antibody) at dilution 1/50.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Lane 1-3: Hela, HepG2, 293T cell lysates; Primary antibody: 220146(NOTCH1 Antibody) at dilution 1/800; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 20 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010