NR4A2 RABBIT PAB

货号: S216691
产品全名: NR4A2 兔多抗
基因符号 NOT; RNR1; HZF-3; NURR1; TINUR
UNIPROT ID: P43354 (Gene Accession – BC009288)
背景: This gene encodes a member of the steroid-thyroid hormone-retinoid receptor superfamily. The encoded protein may act as a transcription factor. Mutations in this gene have been associated with disorders related to dopaminergic dysfunction, including Parkinson disease, schizophernia, and manic depression. Misregulation of this gene may be associated with rheumatoid arthritis. Alternatively spliced transcript variants have been described, but their biological validity has not been determined.
抗原: Fusion protein of human NR4A2
经过测试的应用: ELISA, IHC
推荐稀释比: IHC: 50-200; ELISA: 5000-10000
种属反应性: Rabbit
克隆性： Rabbit Polyclonal
亚型: Immunogen-specific rabbit IgG
纯化: Antigen affinity purification
种属反应性: Human, Mouse, Rat
成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol
研究领域: Epigenetics and Nuclear Signaling, Cancer, Cardiovascular, Metabolism, Neuroscience, Immunology
储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemistry analysis of paraffin embedded Human breast cancer tissue using 216691(NR4A2 Antibody) at a dilution of 1/55(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human breast cancer tissue is first treated with the fusion protein and then with 216691(Anti-NR4A2 Antibody) at dilution 1/55.



The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using 216691(Anti-NR4A2 Antibody) at a dilution of 1/55.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with fusion protein and then with D221063(Anti-NR4A2 Antibody) at dilution 1/55.

FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC APPLICATIONS

FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC APPLICATIONS