

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **NUDT21 RABBIT PAB**

货号: S218132

产品全名: NUDT21 兔多抗 基因符号 CPSF5; CFIM25

UNIPROT ID: O43809 (Gene Accession - BC001403)

背景: The protein encoded by this gene is one subunit of a cleavage factor required for 3' RNA cleavage and polyadenylation processing. The interaction of the protein with the RNA is one of the earliest steps in the assembly of the 3' end processing complex and facilitates the recruitment of other processing factors. This gene encodes the 25kD subunit of the protein comple,x which is composed of four polypeptides.

抗原: Fusion protein of human NUDT21

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 150-300;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Epigenetics and Nuclear Signaling

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human gastric cancer tissue using 218132(NUDT21 Antibody) at a dilution of 1/150(Cytoplasm and Nucleus).




In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with the fusion protein and then with 218132(Anti-NUDT21 Antibody) at dilution 1/150.



The image on the left is immunohistochemistry of paraffinembedded Human brain tissue using 218132(Anti-NUDT21 Antibody) at a dilution of 1/150.



In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with fusion protein and then with D223787(Anti-NUDT21 Antibody) at dilution 1/150.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane 1-3: Hela, 293T, SKOV3 cell lysates; Primary antibody: 218132(NUDT21 Antibody) at dilution 1/1150; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 1 minute



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010