

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

ORAI1(L2) RABBIT PAB

货号: S213833

产品全名: ORAII(L2) 兔多抗

基因符号 IMD9; TAM2; ORAT1; CRACM1; TMEM142A UNIPROT ID: Q96D31 (Gene Accession - NP_116179)

背景: The protein encoded by this gene is a membrane calcium channel subunit that is activated by the calcium sensor STIMI when calcium stores are depleted. This type of channel is the primary way for calcium influx into T-cells. Defects in this gene are a cause of immune dysfunction with T-cell inactivation due to calcium entry defect type 1 (IDTICED1).

抗原: Synthetic peptide of human ORAII(L2)

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification

种属反应性: Human

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Immunology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 213833(ORAII(L2) Antibody) at a dilution of 1/25(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the synthetic peptide and then with 213833(Anti-ORAII(Anti-L2) Antibody) at dilution 1/25.



The image on the left is immunohistochemistry of paraffinembedded Human brain tissue using 213833(Anti-ORAII(Anti-L2) Antibody) at a dilution of 1/25.



In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with synthetic peptide and then with D160923(Anti-ORAI1(Anti-L2) Antibody) at dilution 1/25.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: Human ovarian cancer tissue lysate; Primary antibody: 213833(ORAII(L2) Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 minute



Product Description

Pioneering GTPase and Oncogene Product Development since 2010