

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **P2RY6 RABBIT PAB**

货号: S219960 产品全名: P2RY6 兔多抗 基因符号 P2Y6

UNIPROT ID: Q15077 (Gene Accession - NP\_004145)

背景: The product of this gene belongs to the family of G-protein coupled receptors. This family has several receptor subtypes with different pharmacological selectivity, which overlaps in some cases, for various adenosine and uridine nucleotides. This receptor is responsive to UDP, partially responsive to UTP and ADP, and not responsive to ATP. Four transcript variants encoding the same isoform have been identified for this gene

抗原: Synthetic peptide of human P2RY6

经过测试的应用: ELISA, WB, IHC

推荐稀释比:IHC: 100-300;WB: 200-1000;ELISA: 1000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG

纯化: Antigen affinity purification

种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




cancer tissue using 219960(P2RY6 Antibody) at a dilution of 1/80(Cytoplasm).




Immunohistochemistry analysis of paraffin embedded Human colon In comparision with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with the synthetic peptide and then with 219960(Anti-P2RY6 Antibody) at dilution 1/80.



The image on the left is immunohistochemistry of paraffinembedded Human lung cancer tissue using 219960(Anti-P2RY6 Antibody) at a dilution of 1/80.



In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with synthetic peptide and then with D260686(Anti-P2RY6 Antibody) at dilution 1/80.



Lane: Mouse spleen tissue; Primary antibody: 219960 (P2RY6 Antibody) at dilution 1/650; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 minute



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010