

PADI4 RABBIT PAB

货号: S216707

产品全名: PADI4 兔多抗

基因符号: PAD; PAD4; PDI4; PDI5; PADI5

UNIPROT ID: Q9UM07 (Gene Accession - BC025718)

背景: This gene is a member of a gene family which encodes enzymes responsible for the conversion of arginine residues to citrulline residues. This gene may play a role in granulocyte and macrophage development leading to inflammation and immune response. [provided by RefSeq, Jul 2008]

抗原: Fusion protein of human PADI4

经过测试的应用: ELISA, IHC

推荐稀释比: IHC: 100-300; ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG


纯化: Antigen affinity purification

种属反应性: Human


成分: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Metabolism, Epigenetics and Nuclear Signaling


储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human esophagus cancer tissue using 216707(PADI4 Antibody) at a dilution of 1/160(Nucleus).



In comparison with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with the fusion protein and then with 216707(Anti-PADI4 Antibody) at dilution 1/160.



The image on the left is immunohistochemistry of paraffin-embedded Human gastric cancer tissue using 216707(Anti-PADI4 Antibody) at a dilution of 1/160.



In comparison with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with fusion protein and then with D221092(Anti-PADI4 Antibody) at dilution 1/160.



Product Description

Pioneering GTPase and Oncogene Product Development since 2010
