

## PF4 RABBIT MAB

货号: N263491

产品全名: PF4 兔单克隆抗体

基因符号 C-X-C motif chemokine 4; CXCL4; Iroplact; OncostatinA; PF4; Platelet factor 4; SCYB4; short form; Small inducible cytokine subfamily member 4

**UNIPROT ID:** P02776

背景: Released during platelet aggregation. Neutralizes the anticoagulant effect of heparin because it binds more strongly to heparin than to the chondroitin-4-sulfate chains of the carrier molecule. Chemotactic for neutrophils and monocytes. Inhibits endothelial cell proliferation, the short form is a more potent inhibitor than the longer form.

抗原: A synthetic peptide of human PF4

经过测试的应用: WB,IHC-P,IP

推荐稀释比: WB: 1/500-1/1000 IHC: 1/50-1/100 IP: 1/20

种属反应性: Rabbit

克隆性: Rabbit Monoclonal

克隆编号: R02-1E3

分子量: Calculated MW: 11 kDa; Observed MW: 11 kDa

亚型: IgG


纯化: Affinity Purified

种属反应性: Human,Rat


成分: PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide

研究领域: Immunology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemistry analysis of paraffin-embedded liver cancer using PF4 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western blot analysis of PF4 in rat spleen lysates using PF4 antibody.



Western blot analysis of PF4 in A549, HL-60 lysates using PF4 antibody.