

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **PGK2 RABBIT PAB**

货号: S217107

产品全名: PGK2 兔多抗

基因符号 PGKB; PGKPS; dJ417L20.2

UNIPROT ID: P07205 (Gene Accession - BC038843)

背景: This gene is intronless, arose via retrotransposition of the phosphoglycerate kinase I gene, and is expressed specifically in the testis. Initially assumed to be a pseudogene, the encoded protein is actually a functional phosphoglycerate kinase that catalyzes the reversible conversion of I,3-bisphosphoglycerate to 3-phosphoglycerate, during the Embden-Meyerhof-Parnas pathway of glycolysis, in the later stages of spermatogenesis.

抗原: Fusion protein of human PGK2 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 1000-5000;ELISA: 2000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human gasrtic cancer tissue using 217107(PGK2 Antibody) at a dilution of 1/50(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human gasrtic cancer tissue is first treated with the fusion protein and then with 217107(Anti-PGK2 Antibody) at dilution 1/50.



The image on the left is immunohistochemistry of paraffinembedded Human liver cancer tissue using 217107(Anti-PGK2 Antibody) at a dilution of 1/50.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with fusion protein and then with D221803(Anti-PGK2 Antibody) at dilution 1/50.



Gel: 10%SDS-PAGE, Lysate: 40 µg; Lane 1-5: HepG2 cells, human fetal placenta tissue, 293T cells, human testis tissue, NIH/3T3 cells; Primary antibody: 217107(PGK2 Antibody) at dilution 1/600; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 5 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010