

## PHOSPHO-FGFR1 (TYR654) RABBIT PAB

货号: N225421

产品全名: Phospho-FGFR1 (Tyr654) 兔多抗

基因符号 FGFR1; BFGFR; CEK; FGFR; FLG; FLT2; HBGFR; Fibroblast growth factor receptor 1; FGFR-1; Basic fibroblast growth factor receptor 1; BFGFR; bFGF-R-1; Fms-like tyrosine kinase 2; FLT-2; N-sam; Proto-oncogene c-Fgr; CD antigen CD331

**UNIPROT ID:** P11362

背景: Fibroblast growth factors (FGFs) produce mitogenic and angiogenic effects in target cells by signaling through cell surface receptor tyrosine kinases. Each receptor contains an extracellular ligand binding domain, a transmembrane domain, and a cytoplasmic kinase domain. Following ligand binding and dimerization, the receptors are phosphorylated at specific tyrosine residues. Seven tyrosine residues in the cytoplasmic tail of FGFR1 can be phosphorylated: Tyr463, 583, 585, 653, 654, 730, and 766.

抗原: The antiserum was produced against synthesized peptide derived from human FGFR1 around the phosphorylation site of Tyr654. AA range:626-675

经过测试的应用: WB,ICC/IF,ELISA

推荐稀释比: WB: 1/500-1/1000 IF: 1/50-1/200 ELISA: 1/10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

分子量: Calculated MW: 92 kDa; Observed MW: 120 kDa

亚型: IgG

纯化: Affinity Chromatography


种属反应性: Human, Mouse and Rat

**Modification:** Phosphorylated


成分: PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide

研究领域: Cardiovascular


储存和运输: Store at -20°C. Avoid repeated freezing and thawing




EnzymeLinked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and NonPhosphopeptide (Phospho-right), using FGFR1 (Phospho-Tyr654) antibody.



Western blot analysis of Phospho-FGFR1 (Tyr654) in HeLa lysates using Phospho-FGFR1 (Tyr654) antibody.



Immunofluorescence analysis of Phospho-FGFR1 (Tyr654) in COS7 cells using FGFR1 (Phospho-Tyr654) antibody. The picture on the right is blocked with the Phosphopeptide.



Western blot analysis of Phospho-FGFR1 (Tyr654) in 293 lysates treated with Insulin using Phospho-FGFR1 (Tyr654) antibody. The lane on the right is blocked with the Phosphopeptide.