

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

PIP5K1A RABBIT PAB

货号: S217125

产品全名: PIP5K1A 兔多抗

基因符号

UNIPROT ID: Q99755 (Gene Accession - BC007833)

背景: Phosphatidylinositol-4-phosphate 5-kinase type-1 alpha is an enzyme that in humans is encoded by the PIP5K1A gene. Catalyzes the phosphorylation of phosphatidylinositol 4-phosphate (PtdIns4P) to form phosphatidylinositol 4,5-bisphosphate (PtdIns(4,5)P2). PtdIns(4,5)P2 is involved in a variety of cellular processes and is the substrate to form phosphatidylinositol 3,4,5-trisphosphate (PtdIns(3,4,5)P3), another second messenger. The majority of PtdIns(4,5)P2 is thought to occur via type I phosphatidylinositol 4-phosphate 5-kinases given the abundance of PtdIns4P.

抗原: Fusion protein of human PIP5K1A

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 2000-5000

种属反应性: Rabbit 克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification

种属反应性: Human

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 217125(PIP5K1A Antibody) at a dilution of 1/30(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the fusion protein and then with 217125(Anti-PIP5K1A Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human brain tissue using 217125(Anti-PIP5K1A Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with fusion protein and then with D221835(Anti-PIP5K1A Antibody) at dilution 1/30.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Lane 1-2: PC3 cells, 293T cells; Primary antibody: 217125(PIP5K1A

Primary antibody: 217125(PIP5K1A Antibody) at dilution 1/300; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;

Exposure time: 40 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010