

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010


## PIP5K1C RABBIT PAB

货号: S220333 产品全名: PIP5K1C 兔多抗 基因符号 LCCS3; PIPKIg\_v4; PIP5Kgamma; PIP5K-GAMMA UNIPROT ID: O60331 (Gene Accession - NP\_036530) 背景: This locus encodes a type I phosphatidylinositol 4-phosphate 5-kinase. The encoded protein catalyzes phosphorylation of phosphatidylinositol 4-phosphate, producing phosphatidylinositol 4,5-bisphosphate. This enzyme is found at synapses and has been found to play roles in endocytosis and cell migration. Mutations at this locus have been associated with lethal congenital contractural syndrome. Alternatively spliced transcript variants encoding different isoforms have been described. 抗原: Synthetic peptide of human PIP5K1C 经过测试的应用: ELISA, WB, IHC 推荐稀释比: IHC: 25-100;WB: 500-2000;ELISA: 2000-5000 种属反应性: Rabbit 克隆性: Rabbit Polyclonal 亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat 成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol 研究领域: Signal Transduction 储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 220333(PIP5KIC Antibody) at a dilution of 1/25(Cytoplasm).




The image on the left is immunohistochemistry of paraffinembedded Human brain tissue using 220333(Anti-PIP5K1C Antibody) Human brain tissue is first treated with synthetic peptide and then at a dilution of 1/25.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the synthetic peptide and then with 220333(Anti-PIP5KIC Antibody) at dilution 1/25.



In comparision with the IHC on the left, the same paraffin-embedded



Gel: 10%SDS-PAGE, Lysate: 40 µg; Lane 1-2: A431 cells, hela cells; Primary antibody: 220333(PIP5K1C Antibody) at dilution 1/500; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 2 minutes



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010