

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **PNPO RABBIT PAB**

货号: S221836

产品全名: PNPO 兔多抗 基因符号 PDXPO; HEL-S-302

UNIPROT ID: Q9NVS9 (Gene Accession - NP\_060599)

背景: The enzyme encoded by this gene catalyzes the terminal, rate-limiting step in the synthesis of pyridoxal 5'-phosphate, also known as vitamin B6. Vitamin B6 is a required co-factor for enzymes involved in both homocysteine metabolism and synthesis of neurotransmitters such as catecholamine. Mutations in this gene result in pyridoxamine 5'-phosphate oxidase (PNPO) deficiency, a form of neonatal epileptic encephalopathy.

抗原: Synthetic peptide of human PNPO

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 20-100;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism, Neuroscience

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human brain tissue using 221836(PNPO Antibody) at a dilution of 1/30(Cytoplasm).




in comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with the synthetic peptide and then with 221836(Anti-PNPO Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human gastric cancer tissue using 221836(Anti-PNPO Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with synthetic peptide and then with D263598(Anti-PNPO Antibody) at dilution 1/30.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-4: Human fetal brain tissue, PC-3, Hela and 293T cell lysates; Primary antibody: 221836(PNPO Antibody) at dilution 1/700; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 30 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010