

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

PPAT RABBIT PAB

货号: S217482

产品全名: PPAT 兔多抗 基因符号 GPAT; PRAT; ATASE

UNIPROT ID: Q06203 (Gene Accession - BC004200)

背景: The protein encoded by this gene is a member of the purine/pyrimidine phosphoribosyltransferase family. It is a regulatory allosteric enzyme that catalyzes the first step of de novo purine nucleotide biosythetic pathway. This gene and PAICS/AIRC gene, a bifunctional enzyme catalyzing steps six and seven of this pathway, are located in close proximity on chromosome 4, and divergently transcribed from an intergenic region

抗原: Fusion protein of human PPAT 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 100-300;WB: 500-2000;ELISA: 2000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat


成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Metabolism, Epigenetics and Nuclear Signaling 储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human cervical cancer tissue using 217482(PPAT Antibody) at a dilution of 1/50(Cytoplasm and Nucleus).




In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with the fusion protein and then with 217482(Anti-PPAT Antibody) at dilution 1/50.



The image on the left is immunohistochemistry of paraffinembedded Human brain tissue using 217482(Anti-PPAT Antibody) at a dilution of 1/50.



In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with fusion protein and then with D222426(Anti-PPAT Antibody) at dilution 1/50.



Gel: 10%SDS-PAGE, Lysate: 40 μg; Lane 1-5: Hela cells, Raji cells, Jurkat cells, A549 cells, NIH/3T3 cells; Primary antibody: 217482(PPAT Antibody) at dilution 1/250; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 20 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010