

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

PPIB RABBIT PAB

货号: S217317

产品全名: PPIB 兔多抗

基因符号 OI9; CYPB; SCYLP; CYP-S1

UNIPROT ID: P23284 (Gene Accession - BC001125)

背景: The protein encoded by this gene is a cyclosporine-binding protein and is mainly located within the endoplasmic reticulum. It is associated with the secretory pathway and released in biological fluids. This protein can bind to cells derived from T- and B-lymphocytes, and may regulate cyclosporine A-mediated immunosuppression. Variants have been identified in this protein that give rise to recessive forms of osteogenesis imperfecta.

抗原: Fusion protein of human PPIB 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 100-300;WB: 500-2000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Immunology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human cervical cancer tissue using 217317(PPIB Antibody) at a dilution of 1/40(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with the fusion protein and then with 217317(Anti-PPIB Antibody) at dilution 1/40.



The image on the left is immunohistochemistry of paraffinembedded Human liver cancer tissue using 217317(Anti-PPIB Antibody) at a dilution of 1/40.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with fusion protein and then with D222173(Anti-PPIB Antibody) at dilution 1/40.



Gel: 10%SDS-PAGE, Lysate: 40 µg; Lane 1-4: Human fetal liver tissue, 293T cells, human liver cancer tissue, hela cells; Primary antibody: 217317(PPIB Antibody) at dilution 1/450; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 20 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010