

Product Description

Pioneering GTPase and Oncogene Product Development since 2010


PSMC1 RABBIT PAB

货号: S217716 产品全名: PSMC1 兔多抗 基因符号 S4; p56; P26S4 UNIPROT ID: P62191 (Gene Accession - BC016368) 背景: The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. 抗原: Fusion protein of human PSMC1 经过测试的应用: ELISA, WB, IHC 推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 1000-2000 种属反应性: Rabbit 克隆性: Rabbit Polyclonal 亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat 成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol 研究领域: Cell Biology 储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 217716(PSMC1 Antibody) at a dilution of 1/25(Cytoplasm and Nucleus).




The image on the left is immunohistochemistry of paraffinembedded Human brain tissue using 217716(Anti-PSMC1 Antibody) at a dilution of 1/25.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the fusion protein and then with 217716(Anti-PSMC1 Antibody) at dilution 1/25.



In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with fusion protein and then with D222939(Anti-PSMC1 Antibody) at dilution 1/25.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: 293T cells; Primary antibody: 217716(PSMC1 Antibody) at dilution 1/350; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 40 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010