

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## PTPN12 RABBIT PAB

货号: S214603

产品全名: PTPN12 兔多抗 基因符号 PTPG1; PTP-PEST

**UNIPROT ID:** Q05209 (Gene Accession - NP\_001124480)

背景: The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP contains a C-terminal PEST motif, which serves as a protein-protein interaction domain, and may regulate protein intracellular half-life. This PTP was found to bind and dephosphorylate the product of the oncogene c-ABL and thus may play a role in oncogenesis.

抗原: Synthetic peptide of human PTPN12

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 100-300;WB: 200-1000;ELISA: 1000-2000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human lung cancer tissue using 214603(PTPN12 Antibody) at a dilution of 1/45(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with the synthetic peptide and then with 214603(Anti-PTPN12 Antibody) at dilution 1/45.



The image on the left is immunohistochemistry of paraffinembedded Human cervical cancer tissue using 214603(Anti-PTPN12 Antibody) at a dilution of 1/45.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with synthetic peptide and then with D162089(Anti-PTPN12 Antibody) at dilution 1/45.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Lane 1-2: 231 cells, K562 cells; Primary antibody: 214603(PTPN12 Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 10 minutes



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010