

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

RHAG RABBIT PAB

货号: S219109

产品全名: RHAG 兔多抗

基因符号 OHS; RH2; OHST; Rh50; CD241; RH50A; Rh50GP; SLC42A1

UNIPROT ID: Q02094 (Gene Accession - BC012605)

背景: The protein encoded by this gene is erythrocyte-specific and is thought to be part of a membrane channel that transports ammonium and carbon dioxide across the blood cell membrane. The encoded protein appears to interact with Rh blood group antigens and Rh30 polypeptides. Defects in this gene are a cause of regulator type Rh-null hemolytic anemia (RHN), or Rh-deficiency syndrome.

抗原: Fusion protein of human RHAG 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-300;WB: 1000-5000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cardiovascular


储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description

Pioneering GTPase and Oncogene Product Development since 2010







Immunohistochemistry analysis of paraffin embedded Human tonsil In comparision with the IHC on the left, the same paraffin-embedded tissue using 219109(RHAG Antibody) at a dilution of 1/130(Cell Human tonsil tissue is first treated with the fusion protein and then Human tonsil tissue is first treated with the fusion protein and then with 219109(Anti-RHAG Antibody) at dilution 1/130.



The image on the left is immunohistochemistry of paraffinembedded Human cervical cancer tissue using 219109(Anti-RHAG Antibody) at a dilution of 1/130.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with fusion protein and then with D225857(Anti-RHAG Antibody) at dilution 1/130.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-6: Hela, NIH/3T3, A]72, 293T, K562 and HepG2 cell lysates; Primary antibody: 219109(RHAG Antibody) at dilution 1/1600; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 30 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010