

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

RNF14 RABBIT PAB

货号: S217773 产品全名: RNF14 兔多抗 基因符号 ARA54; HFB30; TRIAD2; HRIHFB2038 UNIPROT ID: Q9UBS8 (Gene Accession - BC126185) 背景: The protein encoded by this gene contains a I

背景: The protein encoded by this gene contains a RING zinc finger, a motif known to be involved in protein-protein interactions. This protein interacts with androgen receptor (AR) and may function as a coactivator that induces AR target gene expression in prostate. A dominant negative mutant of this gene has been demonstrated to inhibit the AR-mediated growth of prostate cancer. This protein also interacts with class III ubiquitin-conjugating enzymes (E2s) and may act as a ubiquitin-ligase (E3) in the ubiquitination of certain nuclear proteins. 抗原: Fusion protein of human RNF14

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 1000-2000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG


纯化: Antigen affinity purification


种属反应性: Human, Mouse


成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Signal Transduction, Epigenetics and Nuclear Signaling, Cell Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing







In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 217773(Anti-RNF14 Antibody) at dilution 1/20.

72— 55— 36— 28— 17— Gel: 8%SDS-PAGE, Lysate: 40 µg;

Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: RAW264.7 cells; Primary antibody: 217773(RNF14 Antibody) at dilution 1/300; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 2 minutes