

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

RNF40 RABBIT PAB

货号: S217772

产品全名: RNF40 兔多抗

基因符号 BRE1B; RBP95; STARING

UNIPROT ID: O75150 (Gene Accession - BC006133)

背景: The protein encoded by this gene contains a RING finger, a motif known to be involved in protein-protein and protein-DNA interactions. This protein was reported to interact with the tumor suppressor protein RBI. Studies of the rat counterpart suggested that this protein may function as an E3 ubiquitin-protein ligase, and facilitate the ubiquitination and degradation of syntaxin 1, which is an essential component of the neurotransmitter release machinery.

抗原: Fusion protein of human RNF40

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 1000-2000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cell Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human breast cancer tissue using 217772(RNF40 Antibody) at a dilution of 1/25(Nucleus).




In comparision with the IHC on the left, the same paraffin-embedded Human breast cancer tissue is first treated with the fusion protein and then with 217772(Anti-RNF40 Antibody) at dilution 1/25.



The image on the left is immunohistochemistry of paraffinembedded Human brain tissue using 217772(Anti-RNF40 Antibody) at Human brain tissue is first treated with fusion protein and then with



In comparision with the IHC on the left, the same paraffin-embedded D223043(Anti-RNF40 Antibody) at dilution 1/25.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Lane 1-3: Hela cells, 231 cells, A172 cells; Primary antibody: 217772(RNF40 Antibody) at dilution 1/400; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 minute



Product Description

Pioneering GTPase and Oncogene Product Development since 2010