

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

RPAP3 RABBIT PAB

货号: S216796

产品全名: RPAP3 兔多抗

基因符号

UNIPROT ID: Q9H6T3 (Gene Accession - BC056415)

背景: This gene encodes an RNA polymerase II-associated protein. The encoded protein may function in transcriptional regulation and may also regulate apoptosis. Alternatively spliced transcript variants have been described. Forms an interface between the RNA polymerase II enzyme and chaperone/scaffolding protein, suggesting that it is required to connect RNA polymerase II to regulators of protein complex formation.

抗原: Fusion protein of human RPAP3

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 15-50;WB: 500-2000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse


成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Epigenetics and Nuclear Signaling 储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description

Pioneering GTPase and Oncogene Product Development since 2010







Immunohistochemistry analysis of paraffin embedded Human brain In comparision with the IHC on the left, the same paraffin-embedded tissue using 216796(RPAP3 Antibody) at a dilution of 1/20(Cytoplasm Human brain tissue is first treated with the fusion protein and then Human brain tissue is first treated with the fusion protein and then with 216796(Anti-RPAP3 Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human lung cancer tissue using 216796(Anti-RPAP3 Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with fusion protein and then with D221255(Anti-RPAP3 Antibody) at dilution 1/20.



Gel: 10%SDS-PAGE, Lysate: 40 µg; Lane: Mouse kidney tissue; Primary antibody: 216796 (RPAP3 Antibody) at dilution 1/400; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 minute



Product Description

Pioneering GTPase and Oncogene Product Development since 2010