

## SCRN1 RABBIT PAB

货号: S219573

产品全名: SCRNI 兔多抗

基因符号: SES1

**UNIPROT ID:** Q12765 (Gene Accession - BC040492)

**背景:** This gene likely encodes a member of the secernin family of proteins. A similar protein in rat functions in regulation of exocytosis in mast cells. Alternatively spliced transcript variants have been described.

**抗原:** Fusion protein of human SCRNI

**经过测试的应用:** ELISA, WB, IHC

**推荐稀释比:** IHC: 50-200;WB: 1000-5000;ELISA: 5000-10000

**种属反应性:** Rabbit

**克隆性:** Rabbit Polyclonal

**亚型:** Immunogen-specific rabbit IgG


**纯化:** Antigen affinity purification

**种属反应性:** Human, Mouse, Rat


**成分:** PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

**研究领域:** Immunology


**储存和运输:** Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human breast cancer tissue using 219573 (SCRNI Antibody) at a dilution of 1/70 (Cytoplasm).



In comparison with the IHC on the left, the same paraffin-embedded Human breast cancer tissue is first treated with the fusion protein and then with 219573 (Anti-SCRNI Antibody) at dilution 1/70.




The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using 219573 (Anti-SCRNI Antibody) at a dilution of 1/70.



In comparison with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with fusion protein and then with D227812 (Anti-SCRNI Antibody) at dilution 1/70.

kDa      1   2   3   4   5   6   7



Gel: 8%SDS-PAGE, Lysate: 40 µg;  
 Lane 1-7: HepG2, MCF7, HUVEC, Mouse brain tissue, A172, PC3, A549 cell lysates;  
 Primary antibody: 219573 (SCRNI Antibody) at dilution 1/1000;  
 Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;  
 Exposure time: 5 seconds



# Product Description

Pioneering GTPase and Oncogene Product Development since 2010

---