

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

SERPINE2 RABBIT PAB

货号: S216708

产品全名: SERPINE2 兔多抗

基因符号 GDN; PI7; PN1; PI-7; PN-1; GDNPF

UNIPROT ID: P07093 (Gene Accession - BC042628)

背景: This gene encodes a member of the serpin family of proteins, a group of proteins that inhibit serine proteases. Thrombin, urokinase, plasmin and trypsin are among the proteases that this family member can inhibit. This gene is a susceptibility gene for chronic obstructive pulmonary disease and for emphysema. Alternative splicing results in multiple transcript variants.

抗原: Fusion protein of human SERPINE2

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 500-2000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cell Biology, Neuroscience, Cardiovascular


储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Product Description


Pioneering GTPase and Oncogene Product Development since 2010






Immunohistochemistry analysis of paraffin embedded Human brain tissue using 216708(SERPINE2 Antibody) at a dilution of 1/20(Cytoplasm).


In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with the fusion protein and then with 216708(Anti-SERPINE2 Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human lung cancer tissue using 216708(Anti-SERPINE2 Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with fusion protein and then with D221094(Anti-SERPINE2 Antibody) at dilution 1/20.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-2: A172 cells, human fetal brain tissue; Primary antibody: 216708(SERPINE2 Antibody) at dilution 1/450; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 15 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010