SIL1 RABBIT PAB

货号: S219473
产品全名: SIL1 兔多抗
基因符号 BAP; MSS; ULG5
UNIPROT ID: Q9H173 (Gene Accession – BC011568)
背景: This gene encodes a resident endoplasmic reticulum (ER), N-linked glycoprotein with an N-terminal ER targeting sequence, 2 putative N-glycosylation sites, and a C-terminal ER retention signal. This protein functions as a nucleotide exchange factor for another unfolded protein response protein. Mutations in this gene have been associated with Marinesco-Sjogren syndrome. Alternate transcriptional splice variants have been characterized.
抗原: Fusion protein of human SIL1
经过测试的应用: ELISA, WB, IHC
推荐稀释比: IHC: 150-300;WB: 500-2000;ELISA: 5000-10000
种属反应性: Rabbit
克隆性： Rabbit Polyclonal
亚型: Immunogen-specific rabbit IgG
纯化: Antigen affinity purification
种属反应性: Human, Mouse, Rat
成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol
研究领域: Signal Transduction
储存和运输: Store at -20°C. Avoid repeated freezing and thawing

Product Description

Pioneering GTPase and Oncogene Product Development since 2010



Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 219473(SIL1 Antibody) at a dilution of 1/130(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 219473(Anti-SIL1 Antibody) at dilution 1/130.



The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using 219473(Anti-SIL1 Antibody) at a dilution of 1/130.



In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with fusion protein and then with D227290(Anti-SIL1 Antibody) at dilution 1/130.



Gel: 8%SDS-PAGE, Lysate: 40 µg;
Lane 1-3: Hela, K562 and HepG2 cell lysates;
Primary antibody: 219473(SIL1 Antibody) at dilution 1/400;
Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;
Exposure time: 10 seconds