

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

SNRPA RABBIT PAB

货号: S218299

产品全名: SNRPA 兔多抗 基因符号 U1A; Mud1; U1-A

UNIPROT ID: P09012 (Gene Accession - BC000405)

背景: The protein encoded by this gene associates with stem loop II of the UI small nuclear ribonucleoprotein, which binds the 5' splice site of precursor mRNAs and is required for splicing. The encoded protein autoregulates itself by polyadenylation inhibition of its own pre-mRNA via dimerization and has been implicated in the coupling of splicing and polyadenylation.

抗原: Full length fusion 蛋白 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Epigenetics and Nuclear Signaling

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human lung cancer tissue using 218299(SNRPA Antibody) at a dilution of 1/30(Nucleus).




In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with the fusion protein and then with 218299(Anti-SNRPA Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human prostate cancer tissue using 218299(Anti-SNRPA Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with fusion protein and then with D224122(Anti-SNRPA Antibody) at dilution 1/30.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-6: Human fetal liver tissue, A431 cell, 293T cell, Hela cell, HEPG2 cell and A549 cell lysates; Primary antibody: 218299(SNRPA Antibody) at dilution 1/250; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 3 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010