

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

SNRPB2 RABBIT PAB

货号: S219023

产品全名: SNRPB2 兔多抗 基因符号 Msll; U2B'

UNIPROT ID: P08579 (Gene Accession - BC018022)

背景: The protein encoded by this gene associates with stem loop IV of U2 small nuclear ribonucleoprotein (U2 snRNP) in the presence of snRNP-A'. The encoded protein may play a role in pre-mRNA splicing. Autoantibodies from patients with systemic lupus erythematosus frequently recognize epitopes on the encoded protein. Two transcript variants encoding the same protein have been found for this gene.

抗原: Fusion protein of human SNRPB2

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-300;WB: 1000-5000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Epigenetics and Nuclear Signaling

储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Product Description

Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human esophagus cancer tissue using 219023(SNRPB2 Antibody) at a dilution of 1/75(Nucleus).


In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with the fusion protein and then with 219023(Anti-SNRPB2 Antibody) at dilution 1/75.



The image on the left is immunohistochemistry of paraffinembedded Human thyroid cancer tissue using 219023(Anti-SNRPB2 Antibody) at a dilution of 1/75.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with fusion protein and then with D225670(Anti-SNRPB2 Antibody) at dilution 1/75.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane 1-2: Hela and K562 cell lysates; Primary antibody: 219023(SNRPB2 Antibody) at dilution 1/1600; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 3 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010