

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

STEAP2 RABBIT PAB

货号: S215151

产品全名: STEAP2 兔多抗

基因符号 STMP; IPCAl; PUMPCn; STAMPl; PCANAPl

UNIPROT ID: Q8NFT2 (Gene Accession - NP_001035755)

背景: This gene is a member of the STEAP family and encodes a multi-pass membrane protein that localizes to the Golgi comple,x the plasma membrane, and the vesicular tubular structures in the cytosol. A highly similar protein in mouse has both ferrireductase and cupric reductase activity, and stimulates the cellular uptake of both iron and copper in vitro. Increased transcriptional expression of the human gene is associated with prostate cancer progression. Alternate transcriptional splice variants, encoding different isoforms, have been characterized.

抗原: Synthetic peptide of human STEAP2

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-100;WB: 200-1000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cancer

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human esophagus cancer tissue using 215151(STEAP2 Antibody) at a dilution of 1/35(Cytoplasm and Cell membrane).




In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with the synthetic peptide and then with 215151(Anti-STEAP2 Antibody) at dilution 1/35.



The image on the left is immunohistochemistry of paraffinembedded Human liver cancer tissue using 215151(Anti-STEAP2 Antibody) at a dilution of 1/35.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with synthetic peptide and then with D162955(Anti-STEAP2 Antibody) at dilution 1/35.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-2: Human stomach tissue, Human placenta tissue lysates; Primary antibody: 215151(STEAP2 Antibody) at dilution 1/400; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 10 minutes



Product Description

Pioneering GTPase and Oncogene Product Development since 2010