

Product Description

Pioneering GTPase and Oncogene Product Development since 2010


STUB1 RABBIT PAB

货号: S213301 产品全名: STUBI 兔多抗 基因符号 CHIP; SCA48; UBOX1; SCAR16; HSPABP2; NY-CO-7; SDCCAG7 **UNIPROT ID: Q9UNE7** 背景: This gene encodes a protein containing tetratricopeptide repeat and a U-box that functions as a ubiquitin ligase/cochaperone. The encoded protein binds to and ubiquitinates shock cognate 71 kDa protein (Hspa8) and DNA polymerase beta (Polb), among other targets. Mutations in this gene cause spinocerebellar ataxia, autosomal recessive 16. Alternative splicing results in multiple transcript variants. There is a pseudogene for this gene on chromosome 2. 抗原: Fusion protein of human STUB1 经过测试的应用: ELISA, WB, IHC 推荐稀释比: IHC: 50-200;WB: 1000-5000;ELISA: 5000-10000 种属反应性: Rabbit 克隆性: Rabbit Polyclonal 亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse 成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol 研究领域: Signal Transduction, Epigenetics and Nuclear Signaling 储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 213301(STUB1 Antibody) at a dilution of 1/75(Cytoplasm).

In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 213301(Anti-STUBI Antibody) at dilution 1/75.

The image on the left is immunohistochemistry of paraffinembedded Human gastric cancer tissue using 213301(Anti-STUBI Antibody) at a dilution of 1/75.



In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with fusion protein and then with D154048(Anti-STUBI Antibody) at dilution 1/75.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: 293T cell lysate; Primary antibody: 213301(STUB1 Antibody) at dilution 1/1000; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution; Exposure time: 10 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010