

TNIP2 RABBIT PAB

货号: S214812

产品全名: TNIP2 兔多抗

基因符号: KLIP; ABIN2; FLIP1

UNIPROT ID: Q8NFZ5 (Gene Accession - NP_077285)

背景: This gene encodes a protein which acts as an inhibitor of NFκB activation. The encoded protein is also involved in MAP/ERK signaling pathway in specific cell types. It may be involved in apoptosis of endothelial cells. Alternative splicing results in multiple transcript variants. A pseudogene related to this gene is located on the X chromosome.

抗原: Synthetic peptide of human TNIP2

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100; WB: 500-2000; ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG


纯化: Antigen affinity purification

种属反应性: Human, Mouse


成分: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Signal Transduction, Epigenetics and Nuclear Signaling, Cardiovascular


储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 214812(TNIP2 Antibody) at a dilution of 1/35(Cytoplasm).



In comparison with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the synthetic peptide and then with 214812(Anti-TNIP2 Antibody) at dilution 1/35.



Gel: 8%SDS-PAGE, Lysate: 40 μg;

Lane: A431 cells;

Primary antibody: 214812(TNIP2 Antibody) at dilution 1/500;

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;

Exposure time: 1 minute