

## TRAF3IP1 RABBIT PAB

货号: S216848

产品全名: TRAF3IP1 兔多抗

基因符号: MIPT3; MIP-T3

**UNIPROT ID:** Q8TDR0 (Gene Accession - BC059174 )

**背景:** This protein plays an inhibitory role on IL13 signaling by binding to IL13RA1. Involved in suppression of IL13-induced STAT6 phosphorylation, transcriptional activity and DNA-binding. Recruits TRAF3 and DISC1 to the microtubules. It can interact with IL13RA1 and binds to microtubules, TRAF3 and DISC1.

**抗原:** Fusion protein of human TRAF3IP1

**经过测试的应用:** ELISA, WB, IHC

**推荐稀释比:** IHC: 50-200;WB: 500-2000;ELISA: 2000-10000

**种属反应性:** Rabbit

**克隆性:** Rabbit Polyclonal

**亚型:** Immunogen-specific rabbit IgG


**纯化:** Antigen affinity purification

**种属反应性:** Human, Mouse, Rat


**成分:** PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

**研究领域:** Signal Transduction, Immunology


**储存和运输:** Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 216848 (TRAF3IP1 Antibody) at a dilution of 1/70 (Cytoplasm).




In comparison with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the fusion protein and then with 216848 (Anti-TRAF3IP1 Antibody) at dilution 1/70.



The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using 216848 (Anti-TRAF3IP1 Antibody) at a dilution of 1/70.



In comparison with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with fusion protein and then with D221357 (Anti-TRAF3IP1 Antibody) at dilution 1/70.



Gel: 8% SDS-PAGE, Lysate: 40 µg;  
Lane: Human brain malignant glioma tissue;  
Primary antibody: 216848 (TRAF3IP1 Antibody) at dilution 1/500;  
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;  
Exposure time: 2 minutes

