

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

TRIM34 RABBIT PAB

货号: S220860

产品全名: TRIM34 兔多抗 基因符号 IFP1; RNF21

UNIPROT ID: Q9BYJ4 (Gene Accession - NP_001003827)

背景: The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, B-box type 1 and B-box type 2 domain, and a coiled-coil region. Expression of this gene is up-regulated by interferon. This gene is mapped to chromosome 11p15, where it resides within a TRIM gene cluster. Alternative splicing results in multiple transcript variants. A read-through transcript from the upstream TRIM6 gene has also been observed, which results in a fusion product from these neighboring family members.

抗原: Synthetic peptide of human TRIM34

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 1000-2000

种属反应性: Rabbit 克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification

种属反应性: Human

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cell Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 220860(TRIM34 Antibody) at a dilution of 1/30(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the synthetic peptide and then with 220860(Anti-TRIM34 Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human brain tissue using 220860(Anti-TRIM34 Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with synthetic peptide and then with D262136(Anti-TRIM34 Antibody) at dilution 1/30.

kDa 95— 72— 55— 36— 28—

Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: Jurkat cells; Primary antibody: 220860(TRIM34 Antibody) at dilution 1/250; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 40 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010