

## TRIM49 RABBIT PAB

货号: S217908

产品全名: TRIM49 兔多抗

基因符号: RNF18; TRIM49A; TRIM49L2

**UNIPROT ID:** P0CI25 (Gene Accession - BC126472)

**背景:** The protein encoded by this gene contains a RING zinc finger, a motif known to be involved in protein-protein interactions. This gene has been found to be preferentially expressed in testis. Related pseudogenes and gene duplicates have also been identified on chromosome 11.

**抗原:** Fusion protein of human TRIM49

**经过测试的应用:** ELISA, WB, IHC

**推荐稀释比:** IHC: 30-150;WB: 500-2000;ELISA: 2000-5000

**种属反应性:** Rabbit

**克隆性:** Rabbit Polyclonal

**亚型:** Immunogen-specific rabbit IgG


**纯化:** Antigen affinity purification

**种属反应性:** Human


**成分:** PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

**研究领域:** Cell Biology


**储存和运输:** Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human breast cancer tissue using 217908 (TRIM49 Antibody) at a dilution of 1/40 (Cytoplasm).




In comparison with the IHC on the left, the same paraffin-embedded Human breast cancer tissue is first treated with the fusion protein and then with 217908 (Anti-TRIM49 Antibody) at dilution 1/40.



The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using 217908 (Anti-TRIM49 Antibody) at a dilution of 1/40.



In comparison with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with fusion protein and then with D223352 (Anti-TRIM49 Antibody) at dilution 1/40.



Gel: 8% SDS-PAGE, Lysate: 40 µg;  
Lane: 293T cells;  
Primary antibody: 217908 (TRIM49 Antibody) at dilution 1/800;  
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;  
Exposure time: 3 seconds



# Product Description

Pioneering GTPase and Oncogene Product Development since 2010

---