

TRIMETHYL-HISTONE H3 (LYS14) RABBIT PAB

货号: N226081

产品全名: TriMethyl-Histone H3 (Lys14) 兔多抗

基因符号 H3K14me3; H3 histone; HIST1H3A; Histone cluster 1; H3a

UNIPROT ID: Q16695

背景: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is located separately from the other H3 genes that are in the histone gene cluster on chromosome 6p22-p21.3.

抗原: A synthetic peptide of human TriMethyl-Histone H3-K14

经过测试的应用: WB

推荐稀释比: WB: 1/500-1/1000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

分子量: Calculated MW: 16 kDa; Observed MW: 16 kDa

亚型: IgG

纯化: Affinity Purified


种属反应性: Human,Rat

Modification: Methylated


成分: PBS (without Mg²⁺ and Ca²⁺), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide

研究领域: Epigenetics and Nuclear Signaling

储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunofluorescence analysis of TriMethyl-Histone H3 (Lys14) in C6 using TriMethyl-Histone H3K14 antibody, and DAPI (blue).



Western blot analysis of TriMethyl-Histone H3 (Lys14) in various cell lines lysates using TriMethyl-Histone H3K14 antibody.