

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **TSPAN13 RABBIT PAB**

货号: S221028

产品全名: TSPAN13 兔多抗 基因符号 NET6; NET-6; TM4SF13

UNIPROT ID: O95857 (Gene Accession - NP\_055214)

背景: The protein encoded by this gene is a member of the transmembrane 4 superfamily, also known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility.

抗原: Synthetic peptide of human TSPAN13

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 1000-2000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cell Biology


储存和运输: Store at -20°C. Avoid repeated freezing and thawing



## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010






Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 221028(TSPAN13 Antibody) at a dilution of 1/35(Cytoplasm and Nucleus).


In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the synthetic peptide and then with 221028(Anti-TSPAN13 Antibody) at dilution 1/35.



The image on the left is immunohistochemistry of paraffinembedded Human colon cancer tissue using 221028(Anti-TSPAN13 Antibody) at a dilution of 1/35.



In comparision with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with synthetic peptide and then with D262375(Anti-TSPAN13 Antibody) at dilution 1/35.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane: Human fetal brain tissue; Primary antibody: 221028(TSPAN13 Antibody) at dilution 1/550; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 2 minutes



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010