

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

TUBB2A RABBIT PAB

货号: S221611

产品全名: TUBB2A 兔多抗 基因符号 TUBB; TUBB2; CDCBM5

UNIPROT ID: Q13885 (Gene Accession - NP_001060)

背景: Microtubules, key participants in processes such as mitosis and intracellular transport, are composed of heterodimers of alpha- and beta-tubulins. The protein encoded by this gene is a beta-tubulin. Defects in this gene are associated with complex cortical dysplasia with other brain malformations-5. Two transcript variants encoding distinct isoforms have been found for this gene.

抗原: Synthetic peptide of human TUBB2A

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-50;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction


储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Product Description


Pioneering GTPase and Oncogene Product Development since 2010






Immunohistochemistry analysis of paraffin embedded Human tonsil.


Human tonsil tissue is first treated with the synthetic peptide and tissue using 221611(TUBB2A Antibody) at a dilution of 1/30(Cytoplasm). then with 221611(Anti-TUBB2A Antibody) at dilution 1/30. In comparision with the IHC on the left, the same paraffin-embedded



The image on the left is immunohistochemistry of paraffinembedded Human prostate cancer tissue using 221611(Anti-TUBB2A Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with synthetic peptide and then with D263270 (Anti-TUBB2A Antibody) at dilution 1/30.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-3: NIH/3T3, Jurkat, 293T cell lysates; Primary antibody: 221611(TUBB2A Antibody) at dilution 1/750; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 10 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010