

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

UBXN1 RABBIT PAB

货号: S218638

产品全名: UBXNI 兔多抗 基因符号 2B28; SAKSI; UBXD10

UNIPROT ID: Q04323 (Gene Accession - BC001372)

背景: Ubiquitin-binding protein that interacts with the BRCAI-BARDI heterodimer, and regulates its activity. Specifically binds 'Lys-6'-linked polyubiquitin chains. Interaction with autoubiquitinated BRCAI, leads to inhibit the E3 ubiquitin-protein ligase activity of the BRCAI-BARDI heterodimer. Component of a complex required to couple deglycosylation and proteasome-mediated degradation of misfolded proteins in the endoplasmic reticulum that are retrotranslocated in the cytosol.

抗原: Full length fusion 蛋白 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 40-200;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Cell Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 218638(UBXN1 Antibody) at a dilution of 1/35(Cytoplasm and Nucleus).




In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the fusion protein and then with 218638(Anti-UBXN1 Antibody) at dilution 1/35.



The image on the left is immunohistochemistry of paraffinembedded Human cervical cancer tissue using 218638(Anti-UBXNI Antibody) at a dilution of 1/35.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with fusion protein and then with D224851(Anti-UBXN1 Antibody) at dilution 1/35.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane 1-3: Mouse brain tissue, Hela and HEPG2 cell lysates; Primary antibody: 218638(UBXN1 Antibody) at dilution 1/500; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 5 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010