

ZNF473 RABBIT PAB

货号: S218225

产品全名: ZNF473 兔多抗

基因符号: ZNF473; ZFP100

UNIPROT ID: Q8WTR7 (Gene Accession - BC018612)

背景: This gene encodes a member of the Krueppel C2H2-type zinc-finger family of proteins. The encoded protein, a component of the U7 snRNP complex, plays a role in histone 3'-end pre-mRNA processing and may be required for cell cycle progression to S phase. Expression level and methylation status of this gene may be correlated with bone mineral density.

抗原: Fusion protein of human ZNF473

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 1000-5000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG


纯化: Antigen affinity purification

种属反应性: Human, Mouse


成分: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Epigenetics and Nuclear Signaling


储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemistry analysis of paraffin embedded Human breast cancer tissue using 218225(ZNF473 Antibody) at a dilution of 1/80(Cytoplasm and Nucleus).



In comparison with the IHC on the left, the same paraffin-embedded Human breast cancer tissue is first treated with the fusion protein and then with 218225(Anti-ZNF473 Antibody) at dilution 1/80.



Gel: 6%SDS-PAGE, Lysate: 40 µg;

Lane: TM4 cell lysate;

Primary antibody: 218225(ZNF473 Antibody) at dilution 1/1000;

Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 1 minute