

CD44 (DMC269) IGG1 CHIMERIC MAB

货号: 28177

产品全名: CD44(DMC269) IgG1 Chimeric 单抗

基因符号 CD44;CDW44;CSPG8;ECMR-III;HCELL;HUTCH-
I;IN;LHR;MC56;MDU2;MDU3;MIC4;Pgp1;Epican

描述: CD44 antibody(DMC269) IgG1 Chimeric 单抗

背景: The protein encoded by this gene is a cell-surface glycoprotein involved in cell-cell interactions; cell adhesion and migration. It is a receptor for hyaluronic acid (HA) and can also interact with other ligands; such as osteopontin; collagens; and matrix metalloproteinases (MMPs). This protein participates in a wide variety of cellular functions including lymphocyte activation; recirculation and homing; hematopoiesis; and tumor metastasis. Transcripts for this gene undergo complex alternative splicing that results in many functionally distinct isoforms; however; the full length nature of some of these variants has not been determined. Alternative splicing is the basis for the structural and functional diversity of this protein; and may be related to tumor metastasis.

经过测试的应用: Flow Cyt

推荐稀释比: Flow Cyt 1:100

种属反应性: Rabbit

亚型: Rabbit:Human Fc chimeric IgG1

纯化: Purified from cell culture supernatant by affinity chromatography

种属反应性: 人 CD44

成分: Lyophilized from sterile PBS, pH 7.4. 5 % – 8% trehalose is added as protectants before lyophilization.

储存和运输: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).




Figure 1. Flow cytometry analysis with Anti-CD44 (DMC269) on Expi293 cells transfected with human CD44 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).