

HUMAN BTK PROTEIN, FLAG TAG

货号: 11846

产品全名: 人 BTK 蛋白

规格: 10/50/100 µg

基因符号 AGMX1;AT;ATK;BPK;IGHD3;IMD1;PSCTK1;XLA

目标蛋白: BTK

UNIPROT ID: Q06187

描述: Recombinant Human BTK Protein with C-terminal 3xFlag tag

背景: The protein encoded by this gene plays a crucial role in B-cell development. Mutations in this gene cause X-linked agammaglobulinemia type 1, which is an immunodeficiency characterized by the failure to produce mature B lymphocytes, and associated with a failure of Ig heavy chain rearrangement. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Dec 2013]

物种/宿主: HEK293

分子量: The protein has a predicted molecular mass of 79.2 kDa after removal of the signal peptide.

分子特征: BTK(Met1-Ser659) 3×Flag tag

纯化: The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.

Formulation & Reconstitution: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

储存和运输: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human BTK Protein, Flag Tag on SDS-PAGE under reducing condition.